


# Busulfan

Printed from <https://www.cancerquest.org/patients/drug-reference/busulfan> on 06/13/2026



Brand name: Myleran®

IUPAC: 4-methylsulfonyloxybutyl methanesulfonate

FDA approval: Yes

[Manufacturer Link](#)

Usage:

Busulfan is used to treat chronic myelogenous leukemia. Busulfan is usually administered as an oral tablet. [1](#), [2](#)

---

1 Myleran.. Prescribing Information. GlaxoSmithKline. 2016. [http://www.gsk.com]

2 Chu, E., & DeVita, V. T. (2015). Physicians' cancer chemotherapy drug manual 2015. Burlington, MA: Jones & Bartlett Learning.

Mechanism:

Busulfan (Myleran®) is an alkylating agent that prevents DNA synthesis and transcription and induces (causes) nucleotide mutations through alterations of all cell cycle phases.[1](#)

Stick

Sphere

Cross

Rotate

The diagram above shows the 3D molecular structure of Busulfan.

---

1 Chu, E., & DeVita, V. T. (2015). Physicians' cancer chemotherapy drug manual 2015. Burlington, MA: Jones & Bartlett Learning.

Side effects:

The most common adverse effect of busulfan is bone marrow depression which results in altered blood cell counts. For this reason, cell counts are monitored frequently to avoid any more serious effects. Other common side effects include: nausea, vomiting and diarrhea.[1](#)

---

1 Chu, E., & DeVita, V. T. (2015). Physicians' cancer chemotherapy drug manual 2015. Burlington, MA: Jones & Bartlett Learning.

Contraindications:

Busulfan should not be taken by women who are pregnant and patients should not become pregnant while using this drug, as it may have harmful affects on the developing fetus. Busulfan can cause interstitial pneumonitis, as such patients should be monitored for pulmonary issues.[1](#)

---

1 Chu, E., & DeVita, V. T. (2015). Physicians' cancer chemotherapy drug manual 2015. Burlington, MA: Jones & Bartlett Learning.