


Epirubicin

Printed from <https://www.cancerquest.org/patients/drug-reference/epirubicin> on 05/14/2024



Brand name: Ellence®

IUPAC: (7S,9S)-7-[(2R,4S,5R,6S)-4-amino-5-hydroxy-6-methyloxan-2-yl]oxy-6,9,11-trihydroxy-9-(2-hydroxyacetyl)-4-methoxy-8,10-dihydro-7H-tetracene-5,12-dione

FDA approval: Yes

[Manufacturer Link](#)

Usage:

Epirubicin is used to treat breast cancers with lymph node involvement after the tumor is removed (resected), as well as metastatic gastric cancer. Epirubicin is administered as an intravenous infusion.¹

- ¹Chu, E., & DeVita, V. T. (2015). Physicians' cancerchemotherapy drug manual 2015. Burlington, MA: Jones & Bartlett Learning.

Mechanism:

Epirubicin (a derivative of Doxorubicin) is an anthracycline antibiotic that affects cancer cells in two different ways. The drug wedges in DNA (intercalates). This stops the DNA from being copied (replication) and/or being used to make proteins (synthesis). The drug inhibits the activity of an enzyme, topoisomerase type II, which leads to breaks in the DNA¹



The molecule above shows the 3D conformer structure of Epirubicin.

- ¹Chu, E., & DeVita, V. T. (2015). Physicians' cancerchemotherapy drug manual 2015. Burlington, MA: Jones & Bartlett Learning.

Side effects:

Common side effects include nausea and vomiting, fatigue, hair loss, mouth sores. Epirubicin may cause blood cell counts to decrease. Patients should have blood tests before each treatment cycle to monitor this. Patients may also take an antibiotic during treatment to prevent infections. Epirubicin may cause more serious delayed side effects which include heart problems or acute myelogenous leukemia. However, these serious effects are rare.¹

- ¹Chu, E., & DeVita, V. T. (2015). Physicians' cancerchemotherapy drug manual 2015. Burlington, MA: Jones & Bartlett Learning.

Contraindications:

Epirubicin should not be taken by women who are pregnant and patients should not become pregnant while using this drug, as it may have harmful affects on the developing fetus. This drug may have effects on fertility after treatment has ended.¹

- ¹Chu, E., & DeVita, V. T. (2015). Physicians' cancerchemotherapy drug manual 2015. Burlington, MA: Jones & Bartlett Learning.